

January 2010: Record Keeping Form

Machine #	Week of Jan. 3 - 9	Week of Jan. 10 - 16	Week of Jan. 17 - 23	Week of Jan. 24 - 30
Inspection Date/Initials (list under each week):				
TEMPERATURE MONITORING: (note if in Fahrenheit or Celsius) During the "cool down" phase of the drying cycle, record: Refrigerated Condenser (RC) INLET Temperature RC OUTLET Temperature	Inlet:	Inlet:	Inlet:	Inlet:
	Outlet:	Outlet:	Outlet:	Outlet:
	Yes No	Yes No	Yes No	Yes No
Is RC OUTLET temperature less than or equal to 45° F (7° C)? (circle yes or no)	Record action(s) taken to fix machine/date/time/initial:			
If "no" there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.	Yes No	Yes No	Yes No	Yes No
Is the difference between the RC INLET and OUTLET temperatures greater than or equal to 20° F (11° C)? (circle yes or no)	Record action(s) taken to fix machine/date/time/initial:			
If "no," there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.	Yes No	Yes No	Yes No	Yes No
LEAK DETECTION: Were any leaks found on the machine during the weekly inspection by sight, smell, touch? (circle yes or no) Were any leaks found during the monthly inspection of the machine by detector. (circle yes or no) Common areas for leaks: hose/pipe connections, fittings, couplings/valves, door gaskets/seatings, filter gaskets/seatings, pumps, solvent tanks/hazardous waste containers, water separators, muck cookers, stills, exhaust dampers, diverter valves, cartridge filter housing. If "yes," take immediate steps to repair the leak. If parts are available, repairs must be made within 24 hours. If parts are unavailable they must be ordered within 2 days and repairs completed within 5 days of receiving parts. Record action/date/time/initial to the right.	Yes No	Yes No	Yes No	Yes No
	Leaks found using detector: Yes No Date:			
	Record action(s) taken to fix machine/date/time/initial:			
PURCHASE RECORDS: Record gallons of Perchloroethylene (PERC) purchased monthly and then add it to the previous 11 month total.	Gallons PERC purchased in last 11 months (Feb. '09 - Dec. '09) = _____			
	Add gallons PERC purchased in January '10 + _____			
	12 month rolling total of PERC purchased (gallons) = _____			

DISCLAIMER: This form is to help you comply with air quality requirements. You should not assume it is exhaustive, or rely solely on it for compliance. If there is a conflict between the form and federal, state or local regulations, the regulations will govern. Refer to the Notice of Construction (NOC) permit requirements issued by Spokane Clean Air to ensure air quality requirements for your specific equipment are being met. Operation and maintenance records must be retained onsite for five years. Call Spokane Clean Air (477-4727) if you have questions.

February 2010: Record Keeping Form

Machine #	Week of Jan. 31 - Feb. 6	Week of Feb. 7 - 13	Week of Feb. 14 - 20	Week of Feb. 21 - 27
Inspection Date/Initials (list under each week):				
TEMPERATURE MONITORING: (note if in Fahrenheit or Celsius) During the "cool down" phase of the drying cycle, record: Refrigerated Condenser (RC) INLET Temperature RC OUTLET Temperature Is RC OUTLET temperature less than or equal to 45° F (7° C)? (circle yes or no) If "no" there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right. Is the difference between the RC INLET and OUTLET temperatures greater than or equal to 20° F (11° C)? (circle yes or no) If "no," there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.	Inlet:	Inlet:	Inlet:	Inlet:
	Outlet:	Outlet:	Outlet:	Outlet:
	Yes No Yes No Yes No Yes No Yes No	Yes No Yes No Yes No Yes No Yes No	Yes No Yes No Yes No Yes No Yes No	Yes No Yes No Yes No Yes No Yes No
Record action(s) taken to fix machine/date/time/initial:				
Record action(s) taken to fix machine/date/time/initial:				
LEAK DETECTION: Were any leaks found on the machine during the weekly inspection by sight, smell, touch? (circle yes or no) Were any leaks found during the monthly inspection of the machine by detector: (circle yes or no) Common areas for leaks: hose/pipe connections, fittings, couplings/valves, door gaskets/seatings, filter gaskets/seatings, pumps, solvent tanks/hazardous waste containers, water separators, muck cookers, stills, exhaust dampers, diverter valves, cartridge filter housing. If "yes," take immediate steps to repair the leak. If parts are available, repairs must be made within 24 hours. If parts are unavailable they must be ordered within 2 days and repairs completed within 5 days of receiving parts. Record action/date/time/initial to the right.	Yes No	Yes No	Yes No	Yes No
	Leaks found using detector: Yes No	Yes No	Yes No	Yes No
	Record action(s) taken to fix machine/date/time/initial:			
PURCHASE RECORDS: Record gallons of Perchloroethylene (PERC) purchased monthly and then add it to the previous 11 month total.	Gallons PERC purchased in last 11 months (Mar. '09 - Jan. '10) = _____			
	Add gallons PERC purchased in February '10 + _____			
	12 month rolling total of PERC purchased (gallons) = _____			

DISCLAIMER: This form is to help you comply with air quality requirements. You should not assume it is exhaustive, or rely solely on it for compliance. If there is a conflict between the form and federal, state or local regulations, the regulations will govern. Refer to the Notice of Construction (NOC) permit requirements issued by Spokane Clean Air to ensure air quality requirements for your specific equipment are being met. Operation and maintenance records must be retained onsite for five years. Call Spokane Clean Air (477-4727) if you have questions.

March 2010: Record Keeping Form

Machine #	Week of Feb. 28 - Mar. 6	Week of Mar. 7 - 13	Week of Mar. 14 - 20	Week of Mar. 21 - 27
Inspection Date/Initials (list under each week):				
TEMPERATURE MONITORING: (note if in Fahrenheit or Celsius) During the "cool down" phase of the drying cycle, record: Refrigerated Condenser (RC) INLET Temperature RC OUTLET Temperature Is RC OUTLET temperature less than or equal to 45° F (7° C)? (circle yes or no) If "no" there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right. Is the difference between the RC INLET and OUTLET temperatures greater than or equal to 20° F (11° C)? (circle yes or no) If "no," there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.	Inlet:	Inlet:	Inlet:	Inlet:
	Outlet:	Outlet:	Outlet:	Outlet:
	Yes No Yes No Yes No Yes No Yes No	Yes No Yes No Yes No Yes No Yes No	Yes No Yes No Yes No Yes No Yes No	Yes No Yes No Yes No Yes No Yes No
Record action(s) taken to fix machine/date/time/initial:				
Record action(s) taken to fix machine/date/time/initial:				
LEAK DETECTION: Were any leaks found on the machine during the weekly inspection by sight, smell, touch? (circle yes or no) Were any leaks found during the monthly inspection of the machine by detector: (circle yes or no) Common areas for leaks: hose/pipe connections, fittings, couplings/valves, door gaskets/seatings, filter gaskets/seatings, pumps, solvent tanks/hazardous waste containers, water separators, muck cookers, stills, exhaust dampers, diverter valves, cartridge filter housing. If "yes," take immediate steps to repair the leak. If parts are available, repairs must be made within 24 hours. If parts are unavailable they must be ordered within 2 days and repairs completed within 5 days of receiving parts. Record action date/time/initial to the right.	Yes No	Yes No	Yes No	Yes No
	Leaks found using detector: Yes No	Yes No	Yes No	Yes No
	Record action(s) taken to fix machine/date/time/initial:			
PURCHASE RECORDS: Record gallons of Perchloroethylene (PERC) purchased monthly and then add it to the previous 11 month total.	Gallons PERC purchased in last 11 months (Apr. '09 - Feb. '10) = _____			
	Add gallons PERC purchased in March '10 + _____			
	12 month rolling total of PERC purchased (gallons) = _____			

DISCLAIMER: This form is to help you comply with air quality requirements. You should not assume it is exhaustive, or rely solely on it for compliance. If there is a conflict between the form and federal, state or local regulations, the regulations will govern. Refer to the Notice of Construction (NOC) permit requirements issued by Spokane Clean Air to ensure air quality requirements for your specific equipment are being met. Operation and maintenance records must be retained onsite for five years. Call Spokane Clean Air (477-4727) if you have questions.

May 2010: Record Keeping Form

Machine #	Week of May 2 - 8	Week of May 9 - 15	Week of May 16 - 22	Week of May 23 - 29
Inspection Date/Initials (list under each week):				
TEMPERATURE MONITORING: (note if in Fahrenheit or Celsius) During the "cool down" phase of the drying cycle, record: Refrigerated Condenser (RC) INLET Temperature RC OUTLET Temperature	Inlet:	Inlet:	Inlet:	Inlet:
	Outlet:	Outlet:	Outlet:	Outlet:
	Yes No	Yes No	Yes No	Yes No
Is RC OUTLET temperature less than or equal to 45° F (7° C)? (circle yes or no) If "no" there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.	Record action(s) taken to fix machine/date/time/initial:			
Is the difference between the RC INLET and OUTLET temperatures greater than or equal to 20° F (11° C)? (circle yes or no) If "no," there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.	Yes No	Yes No	Yes No	Yes No
Record action(s) taken to fix machine/date/time/initial:				
LEAK DETECTION: Were any leaks found on the machine during the weekly inspection by sight, smell, touch? (circle yes or no) Were any leaks found during the monthly inspection of the machine by detector. (circle yes or no) Common areas for leaks: hose/pipe connections, fittings, couplings/valves, door gaskets/seatings, filter gaskets/seatings, pumps, solvent tanks/hazardous waste containers, water separators, muck cookers, stills, exhaust dampers, diverter valves, cartridge filter housing. If "yes," take immediate steps to repair the leak. If parts are available, repairs must be made within 24 hours. If parts are unavailable they must be ordered within 2 days and repairs completed within 5 days of receiving parts. Record action/date/time/initial to the right.	Yes No	Yes No	Yes No	Yes No
	Leaks found using detector: Yes No Date:			
	Record action(s) taken to fix machine/date/time/initial:			
PURCHASE RECORDS: Record gallons of Perchloroethylene (PERC) purchased monthly and then add it to the previous 11 month total.	Gallons PERC purchased in last 11 months (June '09 - Apr. '10) = _____			
	Add gallons PERC purchased in May '10 + _____			
	12 month rolling total of PERC purchased (gallons) = _____			

DISCLAIMER: This form is to help you comply with air quality requirements. You should not assume it is exhaustive, or rely solely on it for compliance. If there is a conflict between the form and federal, state or local regulations, the regulations will govern. Refer to the Notice of Construction (NOC) permit requirements issued by Spokane Clean Air to ensure air quality requirements for your specific equipment are being met. Operation and maintenance records must be retained onsite for five years. Call Spokane Clean Air (477-4727) if you have questions.

July 2010: Record Keeping Form

Machine #	Week of June 27 - July 3	Week of July 4 - 10	Week of July 11 - 17	July 18 - 24	July 25 - 31
Inspection Date/Initials (list under each week):					
TEMPERATURE MONITORING: (note if in Fahrenheit or Celsius) During the "cool down" phase of the drying cycle, record: Refrigerated Condenser (RC) INLET Temperature RC OUTLET Temperature	Inlet:	Inlet:	Inlet:	Inlet:	
	Outlet:	Outlet:	Outlet:	Outlet:	
Is RC OUTLET temperature less than or equal to 45° F (7° C)? (circle yes or no)	Yes No	Yes No	Yes No	Yes No	Yes No
If "no" there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.	Record action(s) taken to fix machine/date/time/initial:				
Is the difference between the RC INLET and OUTLET temperatures greater than or equal to 20° F (11° C)? (circle yes or no)	Yes No	Yes No	Yes No	Yes No	Yes No
If "no," there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.	Record action(s) taken to fix machine/date/time/initial:				
LEAK DETECTION: Were any leaks found on the machine during the weekly inspection by sight, smell, touch? (circle yes or no) Were any leaks found during the monthly inspection of the machine by detector: (circle yes or no) Common areas for leaks: hose/pipe connections, fittings, couplings/valves, door gaskets/seatings, filter gaskets/seatings, pumps, solvent tanks/hazardous waste containers, water separators, muck cookers, stills, exhaust dampers, diverter valves, cartridge filter housing. If "yes," take immediate steps to repair the leak. If parts are available, repairs must be made within 24 hours. If parts are unavailable they must be ordered within 2 days and repairs completed within 5 days of receiving parts. Record action/date/time/initial to the right.	Yes No	Yes No	Yes No	Yes No	Yes No
	Leaks found using detector: Yes No Date:				
PURCHASE RECORDS: Record gallons of Perchloroethylene (PERC) purchased monthly and then add it to the previous 11 month total.	Record action(s) taken to fix machine/date/time/initial:				
	Gallons PERC purchased in last 11 months (Aug. '09 - June '10) = _____ Add gallons PERC purchased in July '10 + _____ 12 month rolling total of PERC purchased (gallons) = _____				

DISCLAIMER: This form is to help you comply with air quality requirements. You should not assume it is exhaustive, or rely solely on it for compliance. If there is a conflict between the form and federal, state or local regulations, the regulations will govern. Refer to the Notice of Construction (NOC) permit requirements issued by Spokane Clean Air to ensure air quality requirements for your specific equipment are being met. Operation and maintenance records must be retained onsite for five years. Call Spokane Clean Air (477-4727) if you have questions.

August 2010: Record Keeping Form

Machine #	Week of August 1 - 7	Week of August 8 - 14	Week of August 15 - 21	Week of August 22 - 28
Inspection Date/Initials (list under each week):				
<p>TEMPERATURE MONITORING: (note if in Fahrenheit or Celsius) During the “cool down” phase of the drying cycle, record: Refrigerated Condenser (RC) INLET Temperature RC OUTLET Temperature</p> <hr style="border-top: 1px dashed black;"/> <p>Is RC OUTLET temperature less than or equal to 45° F (7° C)? (circle yes or no)</p> <p>If “no” there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.</p> <p>Is the difference between the RC INLET and OUTLET temperatures greater than or equal to 20° F (11° C)? (circle yes or no)</p> <p>If “no,” there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.</p>	Inlet: Outlet: Yes No	Inlet: Outlet: Yes No	Inlet: Outlet: Yes No	Inlet: Outlet: Yes No
	Record action(s) taken to fix machine/date/time/initial:			
	Record action(s) taken to fix machine/date/time/initial:			
<p>LEAK DETECTION: Were any leaks found on the machine during the weekly inspection by sight, smell, touch? (circle yes or no)</p> <p>Were any leaks found during the monthly inspection of the machine by detector. (circle yes or no)</p> <p>Common areas for leaks: hose/pipe connections, fittings, couplings/valves, door gaskets/seatings, filter gaskets/seatings, pumps, solvent tanks/hazardous waste containers, water separators, muck cookers, stills, exhaust dampers, diverter valves, cartridge filter housing.</p> <p>If “yes,” take immediate steps to repair the leak. If parts are available, repairs must be made within 24 hours. If parts are unavailable they must be ordered within 2 days and repairs completed within 5 days of receiving parts. Record action/date/time/initial to the right.</p>	Yes No	Yes No	Yes No	Yes No
	Leaks found using detector: Yes No Date:			
	Record action(s) taken to fix machine/date/time/initial:			
<p>PURCHASE RECORDS: Record gallons of Perchloroethylene (PERC) purchased monthly and then add it to the previous 11 month total.</p>	Gallons PERC purchased in last 11 months (Sept. '09 - July '10) = _____			
	Add gallons PERC purchased in August '10 + _____			
	12 month rolling total of PERC purchased (gallons) = _____			

DISCLAIMER: This form is to help you comply with air quality requirements. You should not assume it is exhaustive, or rely solely on it for compliance. If there is a conflict between the form and federal, state or local regulations, the regulations will govern. Refer to the Notice of Construction (NOC) permit requirements issued by Spokane Clean Air to ensure air quality requirements for your specific equipment are being met. Operation and maintenance records must be retained onsite for five years. Call Spokane Clean Air (477-4727) if you have questions.

September 2010: Record Keeping Form

Machine #	Week of Aug. 29 - Sept. 4	Week of Sept. 5 - 11	Week of Sept. 12 - 18	Week of Sept. 19 - 25
Inspection Date/Initials (list under each week):				
TEMPERATURE MONITORING: (note if in Fahrenheit or Celsius) During the "cool down" phase of the drying cycle, record: Refrigerated Condenser (RC) INLET Temperature RC OUTLET Temperature	Inlet:	Inlet:	Inlet:	Inlet:
	Outlet:	Outlet:	Outlet:	Outlet:
	Yes No	Yes No	Yes No	Yes No
Is RC OUTLET temperature less than or equal to 45° F (7° C)? (circle yes or no) If "no" there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.	Record action(s) taken to fix machine/date/time/initial:			
Is the difference between the RC INLET and OUTLET temperatures greater than or equal to 20° F (11° C)? (circle yes or no) If "no," there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.	Yes No	Yes No	Yes No	Yes No
Record action(s) taken to fix machine/date/time/initial:				
LEAK DETECTION: Were any leaks found on the machine during the weekly inspection by sight, smell, touch? (circle yes or no) Were any leaks found during the monthly inspection of the machine by detector. (circle yes or no) Common areas for leaks: hose/pipe connections, fittings, couplings/valves, door gaskets/seatings, filter gaskets/seatings, pumps, solvent tanks/hazardous waste containers, water separators, muck cookers, stills, exhaust dampers, diverter valves, cartridge filter housing. If "yes," take immediate steps to repair the leak. If parts are available, repairs must be made within 24 hours. If parts are unavailable they must be ordered within 2 days and repairs completed within 5 days of receiving parts. Record action/date/time/initial to the right.	Yes No	Yes No	Yes No	Yes No
	Leaks found using detector: Yes No Date:			
	Record action(s) taken to fix machine/date/time/initial:			
PURCHASE RECORDS: Record gallons of Perchloroethylene (PERC) purchased monthly and then add it to the previous 11 month total.	Gallons PERC purchased in last 11 months (Oct. '09 - Aug. '10) = _____			
	Add gallons PERC purchased in September '10 + _____			
	12 month rolling total of PERC purchased (gallons) = _____			

DISCLAIMER: This form is to help you comply with air quality requirements. You should not assume it is exhaustive, or rely solely on it for compliance. If there is a conflict between the form and federal, state or local regulations, the regulations will govern. Refer to the Notice of Construction (NOC) permit requirements issued by Spokane Clean Air to ensure air quality requirements for your specific equipment are being met. Operation and maintenance records must be retained onsite for five years. Call Spokane Clean Air (477-4727) if you have questions.

October 2010: Record Keeping Form

Machine #	Week of Sept. 26 - Oct. 2	Week of Oct. 3 - 9	Week of Oct. 10 - 16	Oct. 17 - 23	Oct. 24 - 30
Inspection Date/Initials (list under each week):					
<p>TEMPERATURE MONITORING: (note if in Fahrenheit or Celsius) During the "cool down" phase of the drying cycle, record: Refrigerated Condenser (RC) INLET Temperature RC OUTLET Temperature</p>					
<p>Is RC OUTLET temperature less than or equal to 45° F (7° C)? (circle yes or no)</p>					
<p>If "no" there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.</p>					
<p>Is the difference between the RC INLET and OUTLET temperatures greater than or equal to 20° F (11° C)? (circle yes or no)</p>					
<p>If "no," there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.</p>					
<p>LEAK DETECTION: Were any leaks found on the machine during the weekly inspection by sight, smell, touch? (circle yes or no)</p>					
<p>Were any leaks found during the monthly inspection of the machine by detector: (circle yes or no)</p>					
<p>Common areas for leaks: hose/pipe connections, fittings, couplings/valves, door gaskets/seatings, filter gaskets/seatings, pumps, solvent tanks/hazardous waste containers, water separators, muck cookers, stills, exhaust dampers, diverter valves, cartridge filter housing.</p>					
<p>If "yes," take immediate steps to repair the leak. If parts are available, repairs must be made within 24 hours. If parts are unavailable they must be ordered within 2 days and repairs completed within 5 days of receiving parts. Record action/date/time/initial to the right.</p>					
<p>PURCHASE RECORDS: Record gallons of Perchloroethylene (PERC) purchased monthly and then add it to the previous 11 month total.</p>					
<p>Gallons PERC purchased in last 11 months (Nov. '09 - Sept. '10) = _____</p> <p>Add gallons PERC purchased in October '10 + _____</p> <p>12 month rolling total of PERC purchased (gallons) = _____</p>					
<p>DISCLAIMER: This form is to help you comply with air quality requirements. You should not assume it is exhaustive, or rely solely on it for compliance. If there is a conflict between the form and federal, state or local regulations, the regulations will govern. Refer to the Notice of Construction (NOC) permit requirements issued by Spokane Clean Air to ensure air quality requirements for your specific equipment are being met. Operation and maintenance records must be retained onsite for five years. Call Spokane Clean Air (477-4727) if you have questions.</p>					

November 2010: Record Keeping Form

Machine #	Week of Oct. 31 - Nov. 6	Week of Nov. 7 - 13	Week of Nov. 14 - 20	Week of Nov. 21 - 27
Inspection Date/Initials (list under each week):				
TEMPERATURE MONITORING: (note if in Fahrenheit or Celsius) During the "cool down" phase of the drying cycle, record: Refrigerated Condenser (RC) INLET Temperature RC OUTLET Temperature	Inlet:	Inlet:	Inlet:	Inlet:
	Outlet:	Outlet:	Outlet:	Outlet:
	Yes No	Yes No	Yes No	Yes No
Is RC OUTLET temperature less than or equal to 45° F (7° C)? (circle yes or no) If "no" there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.	Record action(s) taken to fix machine/date/time/initial:			
Is the difference between the RC INLET and OUTLET temperatures greater than or equal to 20° F (11° C)? (circle yes or no) If "no," there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.	Yes No	Yes No	Yes No	Yes No
Record action(s) taken to fix machine/date/time/initial:				
LEAK DETECTION: Were any leaks found on the machine during the weekly inspection by sight, smell, touch? (circle yes or no) Were any leaks found during the monthly inspection of the machine by detector. (circle yes or no) Common areas for leaks: hose/pipe connections, fittings, couplings/valves, door gaskets/seatings, filter gaskets/seatings, pumps, solvent tanks/hazardous waste containers, water separators, muck cookers, stills, exhaust dampers, diverter valves, cartridge filter housing. If "yes," take immediate steps to repair the leak. If parts are available, repairs must be made within 24 hours. If parts are unavailable they must be ordered within 2 days and repairs completed within 5 days of receiving parts. Record action/date/time/initial to the right.	Yes No	Yes No	Yes No	Yes No
	Leaks found using detector: Yes No Date:			
	Record action(s) taken to fix machine/date/time/initial:			
PURCHASE RECORDS: Record gallons of Perchloroethylene (PERC) purchased monthly and then add it to the previous 11 month total.	Gallons PERC purchased in last 11 months (Dec. '09 - Oct. '10) = _____			
	Add gallons PERC purchased in November '10 + _____			
	12 month rolling total of PERC purchased (gallons) = _____			
DISCLAIMER: This form is to help you comply with air quality requirements. You should not assume it is exhaustive, or rely solely on it for compliance. If there is a conflict between the form and federal, state or local regulations, the regulations will govern. Refer to the Notice of Construction (NOC) permit requirements issued by Spokane Clean Air to ensure air quality requirements for your specific equipment are being met. Operation and maintenance records must be retained onsite for five years. Call Spokane Clean Air (477-4727) if you have questions.				

December 2010: Record Keeping Form

Machine #	Week of Nov. 28 - Dec. 4	Week of Dec. 5 - 11	Week of Dec. 12 - 18	Dec. 19 - 25	Dec. 26 Jan. 1	
Inspection Date/Initials (list under each week):						
<p>TEMPERATURE MONITORING: (note if in Fahrenheit or Celsius) During the "cool down" phase of the drying cycle, record: Refrigerated Condenser (RC) INLET Temperature RC OUTLET Temperature</p> <p>Is RC OUTLET temperature less than or equal to 45° F (7° C)? (circle yes or no)</p> <p>If "no" there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.</p> <p>Is the difference between the RC INLET and OUTLET temperatures greater than or equal to 20° F (11° C)? (circle yes or no)</p> <p>If "no," there is a problem with your machine, which must be fixed as soon as possible. Record action/date/time/initial to the right.</p>	Inlet:	Inlet:	Inlet:	Inlet:		
	Outlet:	Outlet:	Outlet:	Outlet:		
	Yes No	Yes No	Yes No	Yes No	Yes No	
	Record action(s) taken to fix machine/date/time/initial:					
<p>LEAK DETECTION:</p> <p>Were any leaks found on the machine during the weekly inspection by sight, smell, touch? (circle yes or no)</p> <p>Were any leaks found during the monthly inspection of the machine by detector. (circle yes or no)</p> <p>Common areas for leaks: hose/pipe connections, fittings, couplings/valves, door gaskets/seatings, filter gaskets/seatings, pumps, solvent tanks/hazardous waste containers, water separators, muck cookers, stills, exhaust dampers, diverter valves, cartridge filter housing.</p> <p>If "yes," take immediate steps to repair the leak. If parts are available, repairs must be made within 24 hours. If parts are unavailable they must be ordered within 2 days and repairs completed within 5 days of receiving parts. Record action/date/time/initial to the right.</p>	Yes No	Yes No	Yes No	Yes No	Yes No	
	Leaks found using detector: Yes No Date:					
	Record action(s) taken to fix machine/date/time/initial:					
<p>PURCHASE RECORDS:</p> <p>Record gallons of Perchloroethylene (PERC) purchased monthly and then add it to the previous 11 month total.</p>	Gallons PERC purchased in last 11 months (Jan. - Nov. '10) = _____					
	Add gallons PERC purchased in December '10 + _____					
	12 month rolling total of PERC purchased (gallons) = _____					
<p>DISCLAIMER: This form is to help you comply with air quality requirements. You should not assume it is exhaustive, or rely solely on it for compliance. If there is a conflict between the form and federal, state or local regulations, the regulations will govern. Refer to the Notice of Construction (NOC) permit requirements issued by Spokane Clean Air to ensure air quality requirements for your specific equipment are being met. Operation and maintenance records must be retained onsite for five years. Call Spokane Clean Air (477-4727) if you have questions.</p>						